



VOMS

Known Issues

V2.16.12.1



Table of Contents

- Table of Contents1
- Comments made on Orders Submitted by providers are not displayed1
- Define Drop-Down lists search bar not working properly2
- Unable to save Cold Storage unit information when existing 'Calibration Expiration' date is removed3
- Cannot upload Temp Log File4
- On Properties page clicking 'Cancel' when trying to navigate away from page prior to saving does not re-load page5
- Filling in then clearing min/max temperature still tries to validate as 06
- VTrckS Provider Data Files7
- Column sorting is dysfunctional on Transfer page when entering in quantity8
- Returns are being displayed on the Transfers for Search History9
- Min/Max Cold Storage isn't working correctly. 10
- On Define Drop-Downs List the 'Presentation' list is showing incorrect information 11

Comments made on Orders Submitted by providers are not displayed

Description: When an order is created and a comment is noted the Approver is not able to see the comment.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/10/2017

Steps to Test:

1. Login to VOMS
2. Create an order
3. Add a comment
4. Submit the order
5. Go to State Approver and navigate to Approve orders
6. Click on order number and expand 'Priority reason and order comments' dropdown
7. The comment added is not displayed

Expected Results: Comment added should be displayed.

Actual Results: Comment added is not displayed.

Define Drop-Down lists search bar not working properly

Description: When typing in the search bar on the Define Drop-Down Lists page the page is not filtering based upon the entered text.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/14/2017

Steps to Test:

1. Login into VOMS
2. Go to Admin & Settings
3. Navigate to Define Drop-Down Lists
4. Start typing in the Search Bar
5. Notice the page is not filtering based on text entered

Expected Results: The page will filter based on the text entered in the Search Bar.

Actual Results: The page is not filtering based on the text entered in the Search Bar.

Unable to save Cold Storage unit information when existing 'Calibration Expiration' date is removed

Description: When editing information for a Cold Storage Unit the page should successfully save upon clicking Save if the Calibration Expiration is removed.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/13/2017

Steps to Test:

1. Login into VOMS
2. Select a Facility
3. Click on Cold Storage menu
4. Click the 'Edit' icon by a Cold Storage unit
5. Un-select the Date of Last Calibration
6. Select Save
7. Notice the Warning message displayed

Expected Results: When un-selecting the Date of Last Calibration, the page should save successfully IF all required fields are completed.

Actual Results: When un-selecting the Date of Last Calibration a warning message will appear upon clicking Save.

Cannot upload Temp Log File

Description: The Import File functionality is not allowing users to Import Files once all page fields have been cleared.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/14/2017

Steps to Test:

1. Login into VOMS
2. Select a Facility
3. Navigate to Cold Storage menu
4. Select Upload Temp Log
5. Select Cold Storage unit
6. Select a Defined Profile
7. Select File and click Import
8. Click Clear button
9. Re-select Cold Storage unit and select Defined Profile
10. Try to Import the same file again
11. System fails in allowing you to Import File
12. Notice you cannot Import a File once you've cleared the fields.

Expected Results: A file should Import each time a file is selected and Import is clicked.

Actual Results: Once a file is selected it doesn't populate the file name in the Choose File box after selecting a file from your computer.

Note: Two workarounds were identified -

- Select a different file then select the original file. Notice the file is selected
- Navigate away from the page, return to the Upload temperature page and continue with the Import process

On Properties page clicking 'Cancel' when trying to navigate away from page prior to saving does not re-load page

Description: In the Admin & Settings menu when a user is on the Properties page, changes any field and navigates away before saving and clicks 'Cancel' on the warning message the page does not automatically refresh.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/14/2017

Steps to Test:

1. Login into VOMS
2. Click Admin & Settings
3. Navigate to Properties
4. Change any field
5. Click Home menu
6. Warning messages displays, click Cancel
7. Notice the page does not re-load

Expected Results: Upon clicking Cancel in the warning message pop-up the page should re-load

Actual Results: The page does not re-load once canceled is clicked in the warning message pop-up

Filling in then clearing min/max temperature still tries to validate as 0

Description: When entering temperatures and then clearing the field, users will still see a warning message.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/15/2017

Steps to Test:

1. Login into VOMS
2. Click on Cold Storage
3. Switch to Min/Max
4. Enter a number into the Min field
5. Clear the entry
6. Enter a value below '0' for the Max field
7. Notice a warning message in the Min field

Expected Results: No warning message will display if entry is cleared.

Actual Results: A warning message will display and the user will not be able to save without entering a value.

Note: This can be worked around if you enter in a value that is less than the Max value entered.

VTrckS Provider Data Files

Description: Sometimes the search parameters and downloading of the Provider Data Files are failing.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/15/2017

Steps to Test:

1. Login into VOMS
2. Go to Admin & Settings
3. Click on VTrckS Provider Master Data Export
4. Select organization that has an approved Provider Agreement
5. Select check box for "Only include orgs/facilities with provider agreement in the 'Approved' Status"
6. Notice that there are no results when there should be with one or more providers with an approved Provider Agreement

Expected Results: Each time a parameter is defined the page should load accordingly and the file should successfully download.

Actual Results: On occasion the search parameters are not filtering the page correctly and the Provider Files are failing to download.

Column sorting is dysfunctional on Transfer page when entering in quantity

Description: Table header sort function is not working as intended upon entering in quantity to transfer.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/16/17

Steps to Test:

1. Login into VOMS
2. Navigate to Orders & Returns and select Orders & Transfers
3. Click New transfer
4. Sort a column (Any column except vaccine)
5. Enter in quantity
6. System automatically removes the sort and you are shown that entered in quantity for the first available vaccine but cannot comment on this amount.
7. Sort again with the same column initially chosen and your quantity comes back to the correct vaccine and you can then comment.

Expected Results: The table should sort and save the original entered quantity

Actual Results: The table sorting functionality changes once a quantity is entered.

Note: A work around is to not use the table header sorting functionality.

Returns are being displayed on the Transfers for Search History

Description: On the Search History table under the Transfers tab, Returns are also being shown.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/17/2017

Steps to Test:

1. Login into VOMS
2. Login to the VOMS
3. Select an Org/Fac
4. Navigate to the Search History screen.
5. Select Transfers tab
6. Click Search.
7. Notice Returns are displayed along with Transfers.

Expected Results: Only Transfers should be displayed on the Transfer tab

Actual Results: Both Transfers and Returns are being displayed on the Transfer tab

Min/Max Cold Storage isn't working correctly.

Description: Cold Storage Export files are incomplete.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/16/2017

Steps to Test:

1. Login into VOMS
2. Go to Cold Storage and Upload a Temperature Log
3. Submit Temp log to State as 2X Daily Temps
4. Select as of date within the file date
5. Export data
6. Notice that the file it shows the correct date range but it does not contain any data from the temp log file.

Expected Results: The exported Temperature File should contain all dates and temperature results uploaded.

Actual Results: The exported Temperature File may not contain all Temperature data and should not be relied on.

On Define Drop-Downs List the 'Presentation' list is showing incorrect information

Description: On Define Drop-Down lists the 'Presentation of the vaccine vials, syringes etc' is displaying funding source information instead of the presentation information.

Version Affected: VOMS v2.16.12.1

Who Identified the Issue: STC

Priority: Medium

Date: 03/17/2017

Steps to Test:

1. Login into VOMS
2. Navigate to Admin & Settings > Define Drop-Downs List.
3. Select Presentation of the vaccine vials, syringes etc.
4. Notice the Funding source values are displayed.

Expected Results: Presentation information should be displayed.

Actual Results: Funding source values are being displayed.